



Continuing Education Questionnaire

Write Your Name:

Once this form is completed, please submit to institute@neurorestorative.com

Essentials of Nursing Care after a Spinal Cord Injury

1. Vehicular accidents are the highest cause of spinal cord injury.

- TRUE**
- FALSE**

2. Women have more spinal cord injuries than men.

- TRUE**
- FALSE**

3. Autonomic Dysreflexia is a medical emergency.

- TRUE**
- FALSE**

4. There is no pain after a spinal cord injury.

- TRUE**
- FALSE**

5. Diabetes is four times more common in men with a spinal cord injury than in the normal population.

- TRUE**
- FALSE**

6. Neurogenic Bladder by definition is a loss of normal bladder function because of nervous system impairments.

- TRUE**
- FALSE**

7. The ability to empty the bladder completely on a regular basis in a low pressure manner is important in maintaining kidney health and preventing urinary tract infections in spinal cord injuries.

- True**
- False**



Continuing Education Questionnaire

8. Alteration to defecation following a spinal cord injury depends on the level and completeness of injury.

- TRUE**
- FALSE**

9. Having bowel incontinence in public is one of the top concerns of someone with a spinal cord injury.

- TRUE**
- FALSE**

10. The objectives of an effective bowel management plan include social continence, effective emptying and predictability and regularity.

- TRUE**
- FALSE**