

## **Continuing Education Questionnaire**

## Please type your full name:

Once this form is completed, please submit to <a href="mailto:institute@neurorestorative.com">institute@neurorestorative.com</a>

## "Residual Behaviors Influencing TBI Recovery"

· · · · · · · · · · · · · · · · · · ·
1. Traumatic brain injury results in impairments of cognitive abilities, physical functioning, and/or emotional-neurobehavioral functioning.
□ A. True □ B. False
2. Of those sustaining a traumatic brain injury, 80% are severe while 20% fall in the mild category.
□ A. True □ B. False
3. Behaviors can be an opportunity to learn about the patients and their deficits.
□ A. True □ B. False
4. Synergy is referred to as the combination of which of the following:
<ul> <li>□ A. Behavior, Attitudes</li> <li>□ B. Behavior, Attitudes, Values</li> <li>□ C. Behavior, Attitudes, Values, Culture</li> </ul>
5. Neurological behaviors are those that occur in response to:
<ul> <li>□ A. Neurological injury</li> <li>□ B. Injury location</li> <li>□ C. Psychosocial variables</li> <li>□ D. A &amp; B</li> <li>□ E. B &amp; C</li> </ul>
6. Frontal Lobe Injury is the most likely cause of neurological behavior impairments.
□ A. True □ B. False



## Continuing Education Questionnaire

7. Psychiatric problems following injury can cause behavioral problems.
□ A. True □ B. False
8. Financial problems and concerns can increase behavior problems following traumatic brain injury.
□ A. True □ B. False
9. There is a difference in rate of change between those neurologically injured without behavior problems versus those with behavior impairments.
<ul> <li>□ A. TBI and behavior impairments improve faster</li> <li>□ B. TBI without behavior impairments improve faster</li> <li>□ C. Supported living shows the greatest improvement</li> </ul>
10. Horn and Lewis showed that neurobehavioral impairments can improve, but may take 2-3 times longer to show response to therapeutic treatments.
□ A. True □ B. False