

Continuing Education Questionnaire

Write Your Name:

Once this form is completed, please submit to institute@neurorestorative.com

Medical Management of Individuals with Brain Injury Living in the Community

1. Which of the following best describes seizure activity that occurs one month after the date of injury in the TBI patient?
 □ A. Early onset seizures □ B. Immediate onset seizures □ C. Generalized complex seizures □ D. Late onset seizures
2. Which of the following is NOT a common side effect of anti-seizure medications?
 □ A. Lethargy □ B. Liver toxicity □ C. Heart palpitations □ D. Pancytopenia
3. Which term below is defined as a velocity dependent increase in muscle tone with resistance to stretch?
 □ A. Weakness □ B. Spasticity □ C. Dystonia □ D. Tremor
4. Which of the following medications used to treat Spasticity in the TBI patient is a GABA derivative and can have potential life threatening withdrawal if abruptly stopped?
 □ A. Dantrium □ B. Propranolol □ C. Baclofen □ D. Botulinum toxin
5. What is the typical timeframe for the SSRIs to treat depression to become clinically effective?
 □ A. 1-2 days □ B. 7-10 days □ C. 6 months



Continuing Education Questionnaire

☐ D. 3-4 weeks
6. Which of the following medications should always be avoided in the TBI patient?
 □ A. Zoloft □ B. Depakote □ C. Haldol □ D. Tizanidine
7. What is the first line treatment for sleep disorders in the TBI patient?
 □ A. Lifestyle modifications □ B. Ambien □ C. Trazodone □ D. Restoril
8. Which of the following medications used to treat sleep disorders in the TBI patient can cause sleepwalking, night terrors and a "hangover" effect?
 □ A. Amitriptyline □ B. Ambien □ C. Trazodone □ D. Melatonin
9. Which of the following medications is commonly used to treat attention deficits in the TBI patient?
 □ A. Propranolol □ B. Depakote □ C. Prozac □ D. Adderall
10. Which of the following medications can be used to treat depression and attention deficits through its enhancement of the dopamine, norepinephrine and serotonin pathways?
□ A. Wellbutrin□ B. Paxil□ C. Lamictal



Continuing Education Questionnaire

☐ D. Alprazolam